



doi:10.3978/j.issn.1005-6947.2015.10.027  
http://dx.doi.org/10.3978/j.issn.1005-6947.2015.10.027  
Chinese Journal of General Surgery, 2015, 24(10):1483-1486.

100050

2010 2 —2015 1 86

43

pH

88.37% 5

1 3

76.74% 10

$P>0.05$

2.50 d

9.85± 3.05 d 12.10±

$P<0.05$

pH  $P>0.05$

/

R656.6

1

1.1

B

X

2010 2 —2015 1

86

17~71 45.20± 10.65 50

[1- 2] 36 0.3~8.5 h 2.0± 1.5 h

38 48

[3- 5] 19 20

18

14 15

X

CT

2015-04-23

2015-09-12

Email: lzc1126@yeah.net

1.2

1.2.1 86

pH

pH

43

1.2.2 26 17 0.25~8.4h

1.7± 1.0 h

18

25

10

1.5

10

9

SPSS 17.0

7

2

7

±

$\bar{x} \pm s$

t

1.2.3 24 19 0.3~8.5 h

=0.05

2.0± 1.3 h

20

23

9

2

10

9

2.1

8

38

P>0.05

88.37 % 5

1.3

1

1

1.5 m

0.95 m

0.95 m

3

33

76.74 % 10

$\chi^2=2.15$  P>0.05

2.2

12 h

9.85± 3.05 d

10~20 mg

10 mL

12.10± 2.50 d

t=4.85

P<0.05

P<0.05 1

16 h

1.4

X

P<0.05 2

1	[n % ]							
	6h		12h		24h		7d	
	20	46.51	10	23.26	10	23.26	3	6.98
	15	34.88	9	20.93	8	18.60	11	25.58
<sup>2</sup>	4.71		2.04		3.01		5.13	
<i>P</i>	<0.05		>0.05		>0.05		<0.05	

*P*<0.05

2	n %		$\bar{x} \pm s$ d		n %		$\bar{x} \pm s$ d	
		17	39.53	2.34	± 0.45	26	60.47	8.56
	19	44.18	4.10	± 1.04	24	55.81	11.32	± 5.21
<sup>2</sup> <i>t</i>	3.21		4.86		2.33		5.20	
<i>P</i>	>0.05		<0.05		>0.05		<0.05	

[11]

5

1

1

2.3 pH

pH

*P*>0.05

3

3	pH		$\bar{x} \pm s$	
	pH			
	1	3	5	7
	5.26	± 0.31	5.72	± 0.11
	5.93	± 0.20	6.02	± 0.15
	5.80	± 0.30	5.30	± 0.25
	5.74	± 0.10	5.89	± 0.13
	5.99	± 0.31	5.79	± 0.26
<i>t</i>	1.02		1.13	
	1.42		1.54	
	1.70			
<i>P</i>	>0.05		>0.05	
	>0.05		>0.05	

pH

pH>4

[12]

*P*>0.05

pH

pH

4

pH

3

[4]

[3]

*P*<0.05

[6-7]

[8-10]

88.37 %

76.74 %

[1] Chang KY, Chang JY, Yen Y. Increasing incidence of intrahepatic cholangiocarcinoma and its relationship to chronic viral hepatitis[J]. J Natl Compr Canc Netw, 2009, 7(4):423-427.

[2] Kato M, Kaise M, Obata T, et al. Bacteremia and endotoxemia after endoscopic submucosal dissection for gastric neoplasia: pilot study[J]. Gastric Cancer, 2012, 15(1):15-20

[3] . [J]. , 2015, 13(6):4-5

[4] , . 11 [J]. , 2013, 12(2):148-150

[5] [J]. , 2012, 15(10):1083-1086

[6] , , . [J]. , 2014, 31(11):641-644



doi: 10.3760/cjgs1110-10000  
http://dx.doi.org/10.3760/cjgs1110-10000  
Chinese Journal of General Surgery, 2016, 11(10): 1000-1000



P U E

1000-1000  
1110-1000  
1110-1000  
1110-1000

1000-1000  
1110-1000  
1110-1000  
1110-1000  
1110-1000  
1110-1000  
1110-1000

1000-1000  
1110-1000  
1110-1000  
1110-1000  
1110-1000  
1110-1000  
1110-1000

1000-1000  
1110-1000  
1110-1000  
1110-1000

1000-1000  
1110-1000  
1110-1000  
1110-1000

- [1] f, 1000-1000 L. 1110-1000. 1110-1000 [J]. Bx, n, ( ):-.
- [2] Bm. 1110-1000 1110-1000 [D]. 1110-1000:-.
- [3] 1110-1000 1110-1000 [D]. 1110-1000 1110-1000
- [4] 1110-1000 1110-1000 [D]. 1110-1000 1110-1000
- [5] eC, Ktn:, 1110-1000 1110-1000 [J]. 1110-1000, ( ):-.
- [6] 1110-1000 1110-1000 1110-1000 [J]. 1110-1000

1110-1000, ( ):-.

1110-1000

XATHUD., 1110-1000  
E [J]. 1110-1000, ( ):-.  
doi:/j.issn-...  
Cite this article as: LIU ZR. Analysis of therapeutic efficacy of supplementary use of triple-lumen gastrointestinal tube in treatment of upper alimentary tract perforation after endoscopic procedures[J]. Chin J Gen Surg, 2016, 11(10): 1000-1000. doi: 10.3760/cjgs1110-10000